

BULLHEAD SAFETY® HEARING PROTECTION Premium High-Visibility Foldable NRR 23 dB Earmuffs

DESCRIPTION

The HP-M2 is a foldable earmuff with high-level attenuation. Conveniently folds away for easy storage. The over-the-head banded design provides maximum versatility for use with other PPE. Features ABS cups for their durability and impact resistance. The soft PVC cushions allow comfort in extended wearing conditions. NRR 23 dB.

Each item is individually packaged in a box for retail sale.

RECOMMENDED USES

Assembly	Welding
Cleaning	Construction
Demolition	Machine Operation
Electrical	Painting
Facility Maintenance	Transportation
Grinding	Manufacturing
Sanding	

FEATURES

- Adjustable and flexible reinforced plastic headband with four-point suspension offers a custom fit
- · Lightweight earmuff for extended wearability
- ABS (Acrylonitrile Butadiene Styrene) cups provide impact resistance

SPECIFICATIONS

CUPS	COLOR	CUSHION MATERIAL	HEADBAND	SUSPENSION WIRES	RETAIL READY	ANSI S3. 19-1974 NRR RATING	
ABS, Impact Resistance	Black and Yellow/Green	Soft PVC	Adjustable, Flexible, Reinforced and has a 4-Point Suspension	Stainless Steel	Yes	23 dB	

ANSI S3.19-1974 SOUND ATTENUATION DATA:

FREQUENCY (HZ)	125	250	500	1000	2000	3150	4000	6300	8000	NRR
MEAN ATTENUATION (DB)	16.2	17.8	28.7	33	34.1	38.6	38.5	38.7	37.9	02 dD
STANDARD DEVIATION (DB)	3.8	1.8	2.5	2.9	2.8	2.3	2.8	3.5	4.1	- 23 dB

EN 352-2: 2002 SOUND ATTENUATION DATA:

FREQUENCY (HZ)	63	125	250	500	1000	2000	4000	8000
SOUND ATTENUATION (DB)	18.8	15.4	17.9	27.8	36.3	35.4	42.4	39.5
STANDARD DEVIATION (DB)	4.1	4.1	3.5	2.7	3.7	3.6	2.6	5.4
ASSUMED PROTECTION (DB)	14.7	11.3	14.4	25.1	32.6	31.8	39.8	34.1
	SNR = 28 dB	H = 34 dB	M = 26 dB	L = 17 dB				

13915 Radium St NW Ramsey, MN 55303 763-452-7417 RetailSales@GlobalGlove.com

YourGGS.com

PACKAGING

	QUANTITY	HP-M2
EACH PAIR	1	810292029647
CASE	20 PK/CASE	10810292029644
CASE WEIGHT	(IN POUNDS)	14.65





ITEM HP-M2

NRR 23 DB

- Soft PVC ear cushions deliver long-wearing comfort
- · Stainless steel wires prevent rust and corrosion

